BIO ORGANIC CHEMISTRY

An International Journal

EDITOR

E. E. van Tamelen

EDITORIAL ASSOCIATES

D. H. R. Barton *A. Kornberg* *Lord Todd*

HONORARY BOARD OF ADVISORS

D. Arigoni
A. R. Battersby
K. Bloch
R. Breslow
M. Calvin
R. W. Holley
W. S. Johnson
T. Kametani
D. E. Koshland, Jr.
H. M. McConnell
A. I. Scott
L. L. M. van Deenen

Volume 5, 1976

ACADEMIC PRESS
New York and London
A Subsidiary of
Harcourt Brace Jovanovich, Publishers

Copyright © 1976 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

CONTENTS OF VOLUME 5

NUMBER 1, MARCH 1976

George N. Phillips, Jr., Florante A. Quiocho, Ronald L. Sass, Peter Werness, Herschell Emery, Furn F. Knapp, Jr., and G. J. Schroepfer, Jr. Sterol Biosynthesis: Establishment of the Structure of 3β-*p*-Bromobenzoyloxy-5α-Cholest-8(14)-en-15β-ol 1

Robert M. McGrath, Pieter S. Steyn, Nicolaas P. Ferreira, and Dianne C. Neethling. Biosynthesis of Cyclopiazonic Acids in *Penicillium cyclopium:* The Isolation of Dimethylallylpyrophosphate: *cyclo*-Acetoacetyltryptophanyl Dimethylallyltransferase 11

Frank Seela and Friedrich Cramer. Synthesis of 4-Denitro-4-azido-chloramphenicol. A Photochemically Activatable Analog of Chloramphenicol 25

Alexander Hampton, Francis Kappler, and Florian Perini. Evidence for the Conformation About the C(5′)–O(5′) Bond of AMP Complexed to AMP Kinase: Substrate Properties of a Vinyl Phosphonate Analog of AMP 31

Thomas H. Fife and Bruce M. Benjamin. Intramolecular General Base Catalyzed Transesterification. The Cyclization of Ethyl 2-Hydroxymethylbenzoate and Ethyl 2-Hydroxymethyl 4-Nitrobenzoate to Phthalide and 5-Nitrophthalide 37

William S. Johnson. Biomimetic Polyene Cyclizations. A Review 51

Jon I. Teng and Leland L. Smith. Sterol Metabolism. XXXVII. On the Oxidation of Cholesterol by Dioxygenases 99

R. J. Bergeron, M. P. Meeley, and Yoshimasa Machida. Selective Alkylation of Cycloheptaamylose 121

Announcement 127

NUMBER 2, JUNE 1976

Carmen Capellini, Atillio Corbella, Pierluigi Gariboldi, and Giancarlo Jommi. Kinetic Studies on the *Cis-Trans* Isomerization of Farnesol by Liver Alcohol Dehydrogenase 129

A. Robert Goldfarb and Philip D. Martin. Reactions of the Amino Groups RNAse A. III. The Existence of pH-Dependent Values of p*K* 137

A. Robert Goldfarb and Philip D. Martin. Reactions of the Amino Groups of RNAse A. IV. The Effects of Protein Concentration 147

Toyoki Kunitake, Yoshio Okahata, and Toyohide Tahara. Multifunctional Hydrolytic Catalysis. VI. Catalytic Hydrolysis of *p*-Nitrophenyl Acetate by *N*-(4-Imidazolylmethyl)benzohydroxamic Acid 155

Roger Lok and James K. Coward. Steric Constraints in Intramolecular Reactions at sp^3 Carbon. Implications for Methylase Mechanisms 169

K. Kenneth Spencer, Hiralal N. Khatri, and Richard K. Hill. Stereochemistry of Some Acetyl Coenzyme A Condensations 177

W. Saenger, M. Noltemeyer, P. C. Manor, B. Hingerty, and B. Klar. "Induced-Fit"-Type Complex Formation of the Model Enzyme α-Cyclodextrin 187

Raymond J. Bergeron and Mary P. Meeley. The Role of Strain Energy in Cycloamylose Substrate Complexation 197

E. E. van Tamelen and C. Dorschel. The Biogenetic-Type Total Synthesis of Methyl Adirubine 203

Announcement 229

NUMBER 3, SEPTEMBER 1976

Eugene G. Sander, Frank A. Sedor, and Eric Young. The Dehalogenation of the 5-Halo-5,6-Dihydrouracils. Uracil Formation from 5-Iodo- and 5-Bromo-5,6-Dihydrouracil 231

A. J. Aarsman, L. L. M. van Deenen, and H. van den Bosch. Studies on Lysophospholipases. VII. Synthesis of Acylthioester Analogs of Lysolecithin and Their Use in a Continuous Spectrophotometric Assay for Lysophospholipases, a Method with Potential Applicability to Other Lipolytic Enzymes. 24

Peter N. Strong and John F. W. Keana. Modification of Tetrodotoxin with Succinic Anhydride 255

John J. Mieyal, Karen S. Blisard, and Usman A. Siddiqui. Conformation in Solution of Coenzyme A Thioesters. II. Butyryl-CoA and Arylacetyl-CoA Compounds 263

Miklos Bodanszky and Mary Lynn Fink. Studies on the Conformation of Secretin. The Position of the Helical Stretch 275

E. E. van Tamelen, J. Webber, G. P. Schiemenz, and W. Barker. Cyclization of *N*[2-(3-indolyl)acetyl]-5-aminovaleraldehydes and *N*[2-(3-indolyl)ethyl]-5-aminovaleraldehydes 283

E. E. van Tamelen and L. K. Oliver. The Biogenetic-Type Total Synthesis of Ajmaline 309

Marc J. O. Anteunis. Solution Conformation of Lasalocid and Lasalocid-Na^+ (X-537A) 327

Miklos Bodanszky, Cynthia Yang Lin, Athanasios E. Yiotakis, Viktor Mutt, and Sami I. Said. Vasoactive Intestinal Peptide (VIP) from Chicken. Synthesis and Properties of the C-Terminal Hendecapeptide 339

NUMBER 4, DECEMBER 1976

Thomas E. Duffy, Arthur J. L. Cooper, and Fernando Vergara. Acid-Catalyzed Hydrolysis of α-Ketoglutaramic Acid. A Proposed Mechanism Involving Decarboxylation and Amide Hydrolysis of the γ-Lactam, 2-Pyrrolidone-5-hydroxy-5-carboxylic Acid 351

Allan W. Nicholas and John P. Rosazza. Reactions of Withaferin-A Model Biological Nucleophiles 367

Linda Atwood and Paul Haake. Catalysis by Imidazolium Ion and Metal Ions in the Reaction of a Phosphate Diester 373

A. Ohno, T. Morishita, and S. Oka. Acyl Migrations in Diacyl Derivatives of 2-Methylmercaptobenzimidazole. A Model of Biotin 383

Yukihisa Kurono, Vassilios Stamoudis, and Myron L. Bender. The Deacylation of Acyl-Cycloamyloses. The Catalytic Effects of Benzimidazole Derivatives on the Rate 393

William L. Mock. Torsional-Strain Consideration in Enzymology. Some Applications to Proteases and Ensuing Mechanistic Consequences 403

Max Blum, Wells C. Cunningham, and John W. Thanassi. Cu^{2+}-Catalyzed Peptide Bond Formation in the Reaction of 5-Deoxypyridoxal and α-Phenyl-α-aminomalonic Acid 415

Raymond Bergeron and Robert Rowan, III. The Molecular Disposition of Sodium *p*-Nitrophenolate in the Cavities of Cycloheptaamylose and Cyclohexaamylose in Solution 425

Raymond Bergeron and Michael Almy Channing. The Molecular Disposition of *p*-Nitrophenol and Sodium *p*-Nitrophenolate in the Cyclohexaamylose Cavity: A ^{13}C Probe 437

Communication

Satoshi Omura, Hideo Takeshima, Akira Nakagawa, Nami Kanemoto, and Gabor Lukacs. Studies on Carboxylic Acid Metabolism in a Macrolide-Producing Microorganism Using Carbon-13 Magnetic Resonance 451

Author Index for Volume 5 455

Subject Index for Volume 5 457

Digitized by the Internet Archive
in 2026

https://archive.org/details/bioorganic-chemistry_1976_5_contents

Information for Authors

Bioorganic Chemistry: An International Journal publishes accounts of research on the organic and physical organic chemistry of biological or biologically related reactions. Within this context, manuscripts treating the following topics are suitable for submission:

> New enzymic reactions in which the chemistry is apparent by way of starting material and product structures; the elucidation of enzyme reaction mechanisms from the physical organic standpoint; the isolation and structure determination of new natural products which have implications for basic biological reactions; biogenetic-type organic synthesis, in which there are executed non-enzymic reactions based upon substrate behavior in biological processes; the synthesis and behavior of model enzymes; the molecular structure and chemical behavior of enzymes; prebiotic and evolutionary organic chemistry; the chemistry of biopolymers; molecular pharmacology.

Regular articles must feature novel, unpublished material or represent full accounts of findings published earlier in preliminary form. Contributions may be either experimentally oriented or entirely theoretical. Articles that are sensibly speculative or constitute new interpretations of older findings are appropriate. Although there is no provision for expedited publication of preliminary disclosures, the editors will consider manuscripts which feature significant new results, described briefly and without a separate experimental section.

Reviews containing apposite subject material are welcome. An acceptable review may embrace the results of various workers in a given area or may feature recent developments from the author's own laboratory. A review that is distinguished by a novel interpretation or presentation of earlier findings is especially suitable. Announcements of meetings, new books, or other developments of interest to the bioorganic chemist will be printed upon request. Manuscripts are considered for publication on the proviso that they have not been, nor will be, published elsewhere.

Address all submitted manuscripts and correspondence to:

Dr. Eugene E. van Tamelen
Editor, *Bioorganic Chemistry*
Department of Chemistry
Stanford University
Stanford, California 94305.

Manuscripts should be written in a clear and accurate fashion with careful attention to detail. Submit manuscripts (preferably in English) in triplicate, including the original typewritten copy, with copies of graphs, drawings, organic structural formulas, etc., suitable for direct reproduction by the photoengraver. All material (including tables, legends, reference lists, and footnotes) should be typed double spaced on one side of $8\frac{1}{2} \times 11$-in. white bond paper with 1-in. margins on all sides. Each page of the manuscript should be numbered. Page 1 should contain the article title, author's name (without degrees), affiliation, a short running title (not exceeding 45 letters and spaces), and an address to which proof should be mailed. Page 2 should contain a short abstract. Acknowledgments may be included as a separate section.

All nomenclature should be simple, unambiguous, and in conformity with the conventions developed by Chemical Abstracts and the International Union of Pure and Applied Chemistry.

Abbreviations should be in accordance with the International System (SI) as adopted by the 11th General Conference on Weights and Measures. Common abbreviations are: meter, m; centimeter, cm; millimeter, mm; micrometer, μm; nanometer, nm; kilogram, kg; gram, g; milligram, mg; microgram, μg; nanogram, ng; milliliter, ml; microliter, μl; molar, M; millimolar, mM; micromolar, μM; normal, N; millicurie, mCi; microcurie, μCi; counts per minute or second, count/min or count/sec; disintegrations per minute or second, dpm or dps; centigrade, °C; seconds, sec; minutes,

min; hours, hr; standard deviations, SD; standard error, SE; percent, %; melting point, mp; boiling point, bp; calorie, cal; kilocalorie, kcal; nuclear magnetic resonance, nmr; infrared, ir; ultraviolet, uv; number, No.; Ångstrom units, Å; cycles per second, cps; parts per million, ppm; equation, Eq.

Tables must appear on a separate sheet with a descriptive title typed double spaced above the table. Tables must be numbered consecutively with Arabic numerals in order in the text.

Figures and graphs are to be numbered consecutively in Arabic numerals and cited in order in the text; legends should be typed double spaced on a separate sheet. Graphs should be plotted with black India ink on white paper no larger than 8.5 × 11 in., with coordinates properly labeled; grid lines that are to show in the engraving should be inked in black. Original drawings no larger than 8½ × 11 in. (21 × 27.5 cm) are preferred. The following standard symbols should be used in the legends to the figures because they are readily available to the printers:

▲ □ ■ ○ ● ⊙ × ◇ ◆.

Photographs should be kept to a minimum and should be glossy prints with strong contrasts; the magnification should be indicated by a scale where possible.

Structural formulas and chemical equations should be typed or drawn with care, and arranged to fill space economically. Since chemical structures will be engraved directly from manuscript copy, authors are asked to prepare such material using appropriate templates and to check it carefully before manuscript submission.

Footnotes should be designated in text by superscript numbers and listed on a separate sheet, starting with the title; in tables they should be noted by superscript letters and placed at the bottom of the page containing the table.

References to the literature should be cited in the text by underlined Arabic numerals in parentheses. They must appear on a separate sheet, listed in numerical order—i.e., in accordance with order of citation in the text. Styling of references should conform to the following format (authors should refer to Chemical Abstracts' *Service Source Index* for styling of journal titles):

1. L. G. Longsworth, R. K. Cannan, and D. A. Macinnes, *J. Amer. Chem. Soc.* **62**, 2580 (1940).
2. R. B. Woodward and R. Hoffmann, "The Conservation of Orbital Symmetry," 2nd ed., Vol. 1, pp. 15–20. Academic Press, New York, 1970.
3. L. G. Longsworth, "Electrophoresis" (M. Bier, Ed.). Academic Press, New York, 1969.

Galley proofs will be sent to the senior author. Authors will be charged for alterations in excess of 10% of the cost of composition.

Fifty reprints of each article will be supplied free of charge. Additional reprints may be purchased; an order form will accompany proofs. There are no publication charges.